

Research article

The Green Potential of Citrus Waste: Value Addition and Sustainability

Mini Sharma^{1*}, Manbir Singh², Rajan Sharma³, Surinder kaur⁴

¹Assistant Professor, Dietetics and Nutrition, Khalsa College for Women, Amritsar.

²Head of Department, Associate Professor, Food Science and Technology, Khalsa College, Amritsar.

³Assistant Professor, Food Science and Technology, Khalsa College, Amritsar.

⁴Principal, Khalsa College for Women, Amritsar.

***Corresponding Author:** Mini Sharma, Assistant Professor, Dietetics and Nutrition, Khalsa College for Women, Amritsar. Tel: 0183-5050431; Fax: 0183-5050431

Citation: Mini Sharma, Manbir Singh, Rajan Sharma, Surinder Kaur (2023) The Green Potential of Citrus Waste: Value Addition and Sustainability. *SciEnvironm* 6: 188.

Received: October 17, 2023; **Accepted:** October 31, 2023; **Published:** November 06, 2023.

Copyright: © 2023 Mini Sharma, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Abstract

Citrus fruit waste, a prodigious byproduct of the global fruit processing industry, presents both environmental challenges and untapped potential. As the demand for processed and convenience foods rises, so does the generation of citrus waste, exacerbating waste disposal problems and environmental pollution. However, this waste is not merely a burden; it is a rich source of valuable compounds, particularly pectin. Pectin, a versatile prebiotic polysaccharide, offers an array of health benefits and functional properties, making it indispensable in various industrial sectors, including food processing, pharmaceuticals, cosmetics, and personal care products.

This comprehensive review explores the origins and impact of citrus waste on the environment, emphasizing the need for sustainable waste management strategies. It highlights recent advancements in the recovery and utilization of citrus waste for both food and non-food applications, shedding light on the potential for value-added products. In the context of food applications, safety considerations, interactions with source materials, and the bioavailability of citrus waste-derived compounds are discussed.

Furthermore, the study delves into the promising realm of citrus waste-based edible packaging materials, offering an eco-friendly alternative to traditional packaging materials. This innovative approach requires advancements in material science and engineering to meet industry standards and consumer expectations.

Ultimately, the review envisions a circular bioeconomy framework for citrus waste utilization, aiming for zero waste generation. This industrial framework not only addresses environmental concerns but also unlocks economic opportunities by transforming citrus waste into diverse value-added products, ranging from functional ingredients to bioenergy sources. In summary, citrus waste valorization represents a holistic solution to waste management challenges, environmental sustainability, and circular bioeconomy goals. By exploring these research directions and embracing citrus waste's potential, we can mitigate environmental pollution, enhance health and well-being, and contribute to a more sustainable future.

Keywords: *Citrus Waste, Valorization, Bioactive Compounds, Circular Economy, Sustainable Extraction.*

Introduction

The escalating demand for processed and ready-to-eat foods has exacerbated the generation of processing waste and the use of synthetic additives, posing health risks to consumers. [1] Citrus fruits, extensively cultivated worldwide, have become a major contributor to this issue. India, in particular, boasts a significant production of various citrus varieties. The processing of citrus fruits yields substantial waste, approximately 50% of the fresh fruit weight, in the form of seeds, pomace, and peel, which is often discarded improperly. However, citrus waste is a veritable treasure trove of active phytochemicals, vitamins, and nutrients with the potential to safeguard human health. Furthermore, it possesses anti-inflammatory, antioxidative, anti-infective, neuro-protective, and anti-cancer properties. Citrus waste is particularly rich in nutraceutical compounds, including dietary fibers, pectin, ascorbic acid, flavonoids, and phenolic compounds.

Citrus peels and pomace are particularly abundant in pectin, a compound known for its ability to lower blood sugar and cholesterol levels. Thus, the valorization of citrus waste to enhance pectin recovery presents a sustainable strategy that contributes to circular bioeconomies and waste reduction. Citrus waste can yield a plethora of high-value products, including essential oils (such as limonene), antioxidants, phenolics, pectin, flavonoids, ethanol, and organic acids.

Pectin, a ubiquitous heteropolysaccharide composed of approximately 3,001,000 saccharide units, is commonly found in the primary cell walls of non-woody plants. It consists of α -1,4-linked D- galacturonic acid (GalA) units along with various acid groups, such as methoxy esters, and neutral sugars including glucose, rhamnose, xylose, galactose, mannose, fucose, or arabinose inside chains. Pectin exhibits numerous nutritional and functional properties, making it highly sought after in industries such as food, pharmaceuticals, textiles, cosmetics, and personal care products. Its gelling, thickening, and stabilizing properties make it a versatile ingredient [2].

Pectin is associated with a range of physiological and biological benefits, including immune modulation, induction of colon cancer cell apoptosis, mouthfeel improvement, regulation of gastric emptying for weight management, and cholesterol reduction, thereby protecting against cardiovascular diseases. Pectin has also gained recognition as a prebiotic, as it modulates intestinal microbial flora composition and promotes immune responses against chronic

infections. Compared to other pectin sources like cereals and soybeans, citrus peel-derived pectin exhibits superior water solubility, water-holding capacity, and viscosity, making it a valuable component in various food products [3]. The improper disposal of voluminous citrus waste through landfills and incineration contributes to environmental pollution, posing health risks due to airborne pathogenic microbial contamination and financial losses related to waste mismanagement. Citrus processing generates significant waste, approximately 50% of the total fruit, and its valorization through advanced techniques has the potential to address environmental pollution while offering numerous functional and financial advantages.

Overview

This study provides a comprehensive overview of citrus waste sources, their environmental impact, conventional and innovative techniques for sustainable pectin recovery, and multifaceted applications of pectin across industries. It serves as a call to researchers to recognize the potential of this versatile compound in addressing challenges related to environmental sustainability, waste management, health promotion, and the establishment of circular bioeconomies [4].

The increasing demand for processed and ready-to-eat foods has led to a surge in processing waste and the use of synthetic additives, raising concerns about consumer health. Citrus fruits, extensively cultivated worldwide, have become a major contributor to this issue. India, in particular, boasts a significant production of various citrus varieties. The processing of citrus fruits yields substantial waste, approximately 50% of the fresh fruit weight, in the form of seeds, pomace, and peel, which is often discarded improperly. However, citrus waste is a veritable treasure trove of active phytochemicals, vitamins, and nutrients with the potential to safeguard human health. Furthermore, it possesses anti-inflammatory, antioxidative, anti-infective, neuro-protective, and anti-cancer properties. Citrus waste is particularly rich in nutraceutical compounds, including dietary fibers, pectin, ascorbic acid, flavonoids, and phenolic compounds [5].

Citrus peels and pomace are particularly abundant in pectin, a compound known for its ability to lower blood sugar and cholesterol levels. Thus, the valorization of citrus waste to enhance pectin recovery presents a sustainable strategy that contributes to circular bioeconomies and waste reduction. Citrus waste can yield a plethora of high-value products, including essential oils (such as limonene), antioxidants, phenolics, pectin, flavonoids, ethanol, and organic acids.

Pectin, a ubiquitous heteropolysaccharide composed of approximately 3,001,000 saccharide units, is commonly found in the primary cell walls of non-woody plants. It consists of α -1,4-linked D- galacturonic acid (GalA) units along with various acid groups, such as methoxy esters, and neutral sugars including glucose, rhamnose, xylose, galactose, mannose, fucose, or arabinose inside chains. Pectin exhibits numerous nutritional and functional properties, making it highly sought after in industries such as food, pharmaceuticals, textiles, cosmetics, and personal care products. Its gelling, thickening, and stabilizing properties make it a versatile ingredient [6].

Pectin is associated with a range of physiological and biological benefits, including immune modulation, induction of colon cancer cell apoptosis, mouthfeel improvement, regulation of gastric emptying for weight management, and cholesterol reduction, thereby protecting against cardiovascular diseases. Pectin has also gained recognition as a prebiotic, as it modulates intestinal microbial flora composition and promotes immune responses against chronic

infections. Compared to other pectin sources like cereals and soybeans, citrus peel-derived pectin exhibits superior water solubility, water-holding capacity, and viscosity, making it a valuable component in various food products [7]. The improper disposal of voluminous citrus waste through landfills and incineration contributes to environmental pollution, posing health risks due to airborne pathogenic microbial contamination and financial losses related to waste mismanagement. Citrus processing generates significant waste, approximately 50% of the total fruit, and its valorization through advanced techniques has the potential to address environmental pollution while offering numerous functional and financial advantages [8].

This study provides a comprehensive overview of citrus waste sources, their environmental impact, conventional and innovative techniques for sustainable pectin recovery, and multifaceted applications of pectin across industries. It serves as a call to researchers to recognize the potential of this versatile compound in addressing challenges related to environmental sustainability, waste management, health promotion, and the establishment of circular bioeconomies.

Table1.1: Applications of citrus food in food sector.

Author	Years	Application of Citrus Foods
Kandemir et al.	2022	Source of bioactives in fruit juice industry wastes
Russo et al.	2021	Source of bioactive compounds in citrus fruit waste
Kamal et al.	2021	Extraction and characterization of pectin from citrus sinensis peel
Vinderola and Reinheimer	1999	Culture media for the enumeration of Bifidobacterium bifidum and Lactobacillus acidophilus in the presence of yoghurt bacteria
Chaouch and Benvenuti	2020	Bioactive compounds for intestinal health
Farahmandfar et al.	2020	Essential oil from Thomson navel orange (Citrus sinensis L. Osbeck) peel for food preservation
Dhalaria et al.	2020	Bioactive compounds with anti-aging properties
Rahman et al.	2022	Role of phenolic compounds in human disease
Nishad et al.	2018	Synergistic effects with nutmeg extracts in imparting oxidative stability in meat balls
Caggia et al.	2020	Fat replacer ingredient for bakery confectionery products
Younis et al.	2015	Textural and sensory properties of papaya jam
Sicari et al.	2018	Alternative gelling agent for marmalade production
Teixeira et al.	2020	Evaluation of sensory, physicochemical, and nutritional characteristics of orange jam
Lourens-Hattingh and Viljoen	2001	Yogurt as probiotic carrier food

Espírito-Santo et al.	2013	Rheology, spontaneous whey separation, microstructure and sensorial characteristics of probiotic yoghurts enriched with passion fruit fiber
Al-Bedrani et al.	2019	Physicochemical, rheological and sensory properties of yogurt flavored with sweet orange (<i>Citrus sinensis</i>) marmalade
Erkaya-Kotan	2020	In vitro angiotensin converting enzyme (ACE)-inhibitory and antioxidant activity of probiotic yogurt incorporated with orange fibre during storage

Table1.2: Applications of citrus food in food sector.

Author	Year	Non-food application of citrus
Kandemir et al.	2022	Bioactive compounds in citrus juice industry wastes can be used for cosmetics, pharmaceuticals, biofuels, and animal feed.
Russo et al.	2021	Bioactive compounds in citrus fruit waste can be used for cosmetics, pharmaceuticals, biofuels, and animal feed.
Kamal et al.	2021	Pectin from citrus sinensis peel can be used for bioplastics, drug delivery systems, and food additives.
Vinderola and Reinheimer	1999	Citrus peel extracts can be used as natural antimicrobial agents.
Chaouch and Benvenuti	2020	Citrus peel extracts can be used as natural food additives to improve the shelf life and nutritional value of foods.
Farahmandfar et al.	2020	Essential oils from citrus peel can be used for aromatherapy, natural pesticides, and food preservatives.
Dhalaria et al.	2020	Bioactive compounds in citrus fruits can be used for anti-aging cosmetics and dietary supplements.
Rahman et al.	2022	Phenolic compounds in citrus fruits can be used for pharmaceuticals and dietary supplements.
Nishad et al.	2018	Citrus peel extracts can be used as natural antioxidants in food and cosmetic products.
Caggia et al.	2020	Citrus by-products can be used as fat replacers in bakery products.
Younis et al.	2015	Citrus peel powder can be used as a natural thickener and flavoring agent in jams and other food products.
Sicari et al.	2018	Citrus peel extracts can be used as natural gelling agents in marmalades and other food products.
Teixeira et al.	2020	Citrus peel can be used as a natural source of dietary fiber in food products.
Lourens-Hattingh and Viljoen	2001	Citrus peel extracts can be used as natural flavorings for probiotic yogurt.

Citrus Waste Valorization

The valorization of citrus fruit waste represents a promising avenue for addressing not only waste disposal challenges but also environmental pollution concerns. Recent research endeavors have delved into the utilization of citrus waste for both food and non-food applications, shedding light on numerous potential avenues for value-added product development. In the context of food applications, it is imperative to explore future research directions that encompass safety considerations, interactions with source materials, and the bioavailability of compounds derived from citrus waste in both in-vitro and in-vivo systems [9].

As the world grapples with escalating waste disposal issues and heightened environmental awareness, citrus waste valorization emerges as a sustainable solution. However, to fully realize its potential, future research must delve deeper into understanding the safety aspects associated with citrus waste-derived compounds. This involves establishing permissible limits for these compounds in food products, ensuring they do not compromise consumer health. Additionally, investigating the interactions between these compounds and the source materials is vital. This knowledge will aid in optimizing extraction processes, enhancing compound yield, and tailoring their applications in various food products. Moreover, assessing the bioavailability of these compounds in in-vitro and in-vivo systems is crucial for determining their efficacy in providing health benefits to consumers. This step will help bridge the gap between the potential health advantages and practical applications of citrus waste-derived compounds in functional foods and dietary supplements [10].

Citrus Waste-Derived Edible Packaging Materials

In the quest for sustainable solutions, one of the intriguing areas of future research lies in the development and applicability of citrus waste-based edible packaging materials. The traditional packaging industry is grappling with the environmental repercussions of non-biodegradable materials, and citrus waste offers a renewable and eco-friendly alternative. However, this endeavor requires substantial advancements in material science and engineering. Future research should focus on enhancing the mechanical properties, shelf life, and barrier functions of citrus waste-derived packaging materials to meet industry standards and consumer expectations. Moreover, the exploration of novel processing techniques, such as nanotechnology and biopolymer modification, can pave the way for innovative and sustainable packaging solutions.

Toward a Circular Economy

To truly harness the potential of citrus waste valorization and realize a sustainable future, the development of an industrial framework based on the principles of the circular economy is imperative. Such a framework would promote a holistic approach to citrus waste utilization, aiming for zero waste generation. This entails not only the efficient extraction of high-value compounds but also the responsible management of by-products and waste streams. Future research should focus on designing integrated systems where citrus waste is transformed into multiple value-added products, ranging from functional ingredients for the food and pharmaceutical industries to bioenergy sources and agricultural inputs [11]. Additionally, the development of supply chains and logistics optimized for citrus waste valorization will be crucial in ensuring scalability and economic viability. Ultimately, this circular economy framework will not only mitigate environmental pollution but also contribute to economic growth and sustainability, aligning with the global imperative for responsible resource management.

In conclusion, the valorization of citrus waste represents a multifaceted opportunity with far-reaching implications for waste reduction, environmental sustainability, and economic growth. Future research endeavors should prioritize safety assessments, compound interactions, and bioavailability studies in the context of food applications. Furthermore, the development of citrus waste-based edible packaging materials holds promise for reducing the environmental footprint of the packaging industry [12]. Lastly, the establishment of a circular economy framework for citrus waste utilization is essential for achieving zero waste and maximizing the potential of this valuable resource. As researchers, industry stakeholders, and policymakers collaborate on these future research directions, they can pave the way for a more sustainable and responsible approach to citrus waste management.

Conclusion

The journey towards fully realizing the potential of citrus waste is ongoing, with several avenues for future exploration. Firstly, further research is needed to optimize the recovery and purification processes of valuable compounds from citrus waste. Enhanced extraction techniques, such as green and sustainable extraction methods, can be developed to maximize the yield and quality of bioactive compounds. Moreover, the development of integrated processes that can simultaneously recover multiple valuable components from citrus waste, such as pectin, essential oils, and antioxidants, would be a significant advancement. Secondly, the safety and regulatory aspects of utilizing citrus waste-derived compounds in various applications need to be thoroughly investigated. This includes assessing the potential presence of contaminants or residues in the extracted compounds and ensuring that they meet the safety standards and permissible limits for consumption or use in different industries. Additionally, understanding the interactions between citrus waste-derived compounds and the matrices they are incorporated into, such as food products or packaging materials, is crucial for ensuring product quality and safety. Furthermore, the bioavailability and bioactivity of citrus waste-derived compounds need to be studied comprehensively. Research should focus on how these compounds are absorbed and metabolized in the human body, as well as their potential health benefits and therapeutic applications. This will require both *in vitro* and *in vivo* studies to establish the efficacy of these compounds in promoting human health.

Lastly, the development of a holistic and sustainable approach to citrus waste management is essential. This includes the establishment of circular economy models that minimize waste generation, maximize resource recovery, and create economic value from citrus waste. Such models can involve collaborations between citrus processing industries, waste management facilities, research institutions, and policymakers to create a closed-loop system for citrus waste utilization. In conclusion, citrus waste is a valuable resource that can be transformed into various value-added products with wide-ranging applications in the food, pharmaceutical, cosmetic, and packaging industries. However, realizing the full potential of citrus waste requires continued research and innovation in extraction technologies, safety assessments, bioavailability studies, and sustainable waste management practices. By addressing these challenges, citrus waste can become a driver of sustainability, environmental protection, and economic growth.

References

1. Kandemir K, Piskin E, Xiao J, Tomas M, Capanoglu E et al. (2022) Fruit Juice Industry Wastes as a Source of Bioactives. *Journal of Agricultural and Food Chemistry* 70: 6805–6832.

2. Russo C, Maugeri A, Lombardo G E, Musumeci L, Barreca D, et al. (2021) The Second Life of Citrus Fruit Waste: A Valuable Source of Bioactive Compounds. *Molecules* 26: 5991.
3. Kamal M, Kumar J, Mamun M, Hamid A, Ahmed M, et al. (2021) Extraction and Characterization of Pectin from Citrus sinensis Peel. *Journal of Biosystems Engineering* 46: 16–25.
4. Vinderola C, Reinheimer J (1999) Culture media for the enumeration of Bifidobacterium bifidum and Lactobacillus acidophilus in the presence of yoghurt bacteria. *International Dairy Journal* 9: 497–505.
5. Chaouch M A, Benvenuti S (2020) The role of fruit by-products as bioactive compounds for intestinal health. *Foods* 9:1716.
6. Farahmandfar R, Tirgarian B, Dehghan B, Nemati A (2020) Changes in chemical composition and biological activity of essential oil from Thomson navel orange (Citrus sinensis L. Osbeck) peel under freezing, convective, vacuum, and microwave drying methods. *Food Science & Nutrition* 8: 124–138.
7. Dhalaria R, Verma R, Kumar D, Puri S, Tapwal A, et al. (2020) Bioactive compounds of edible fruits with their anti-aging properties: A comprehensive review to prolong human life. *Antioxidants* 9: 1123.
8. Rahman M M., Rahaman M S., Islam M R., Rahman F, Mithi F M, et al. (2022) Role of Phenolic Compounds in Human Disease: Current Knowledge and Future Prospects. *Molecules* 27: 233.
9. Nishad J, Koley TK, Varghese E, Kaur C (2018) Synergistic effects of nutmeg and citrus peel extracts in imparting oxidative stability in meat balls. *Food Research International* 106: 1026–1036.
10. Caggia C, Palmeri R, Russo N, Timpone R, Randazzo CL, et al. (2020) Employ of Citrus By-product as Fat Replacer Ingredient for Bakery Confectionery Products. *Frontiers in Nutrition* 7 46.
11. Younis K, Islam RU, Jahan K, Yousuf B, Ray A, et al. (2015) Effect of addition of mosambi (Citrus limetta) peel powder on textural and sensory properties of papaya jam. *Cogent Food & Agriculture* 1: 1023675.
12. Sicari V, Pellicanò TM, Laganà V, Poiana M (2018) Use of orange by-products (dry peel) as an alternative gelling agent for marmalade production: Evaluation of antioxidant activity and inhibition of HMF formation during different storage temperature. *Journal of Food Processing and Preservation* 42: e13429.
13. Teixeira F, Santos BAd, Nunes G, Soares JM, Amaral LAd, et al. (2020) Addition of orange peel in orange jam: Evaluation of sensory, physicochemical, and nutritional characteristics. *Molecules* 25: 1670.
14. Lourens-Hattingh A, Viljoen BC (2001) Yogurt as probiotic carrier food. *International Dairy Journal* 11: 1–17.
15. Espírito-Santo A, Lagazzo A, Sousa A, Perego P, Converti A, et al. (2013) Rheology, spontaneous whey separation, microstructure and sensorial characteristics of probiotic yoghurts enriched with passion fruit fiber. *Food Research International* 50: 224–231.
16. Al-Bedrani DI, ALKaisy Q, Mohammed Z (2019) Physicochemical, rheological and sensory properties of yogurt flavored with sweet orange (Citrus sinensis) marmalade. IOP Conference Series: *Earth and Environmental Science* 388: 012052.

17. Erkaya-Kotan T (2020) In vitro angiotensin converting enzyme (ACE)-inhibitory and antioxidant activity of probiotic yogurt incorporated with orange fibre during storage. *Journal of Food Science and Technology* 57: 2343–2353.
18. Chand P, Kumar M D, Singh A K, Deshwal G K, Rao P S, et al. (2021) Low-calorie synbiotic yoghurt from indigenous probiotic culture and combination of inulin and oligofructose: Improved sensory, rheological, and textural attributes. *Journal of Food Processing and Preservation* 45: e15322.
19. Żbikowska A, Szymańska I, Kowalska M (2020) Impact of Inulin Addition on Properties of Natural Yogurt. *Applied Sciences* 10: 4317.
20. Dias P, Sajiwanie J, Rmusk R (2020) Formulation and development of composite fruit peel powder in incorporated fat and sugar-free probiotic set yogurt.